



Determination of NONSIGNIFICANCE

Notice Date: February 23, 2022

**PROJECT:**  
**NE 119th Street and NE 152nd Avenue Intersection Project**  
PRJ No. 0000537

---

Enclosed find a Determination of Non Significance (DNS) issued pursuant to State Environmental Policy Act (SEPA) Rules (Chapter 197-11, Washington Administrative Code). The enclosed review comments reflect evaluation of the environmental checklist by the lead agency as required by WAS 197-11-330(1)(a)(i).

Written comments may be submitted on this determination within fifteen (15) days of its issuance, after which the DNS will be reconsidered in light of the comments received.

---

Please address all correspondence to:

Clark County Public Works  
Audrey Riddell  
PO Box 9810  
Vancouver, WA 98666-9810  
audrey.riddell@clark.wa.gov



Determination of NONSIGNIFICANCE

Notice Date: February 23, 2022

**NE 119th Street and NE 152nd Avenue Intersection Project**

**DISTRIBUTION LIST**

US Army Corps of Engineers

Cowlitz Indian Tribe

Confederated Tribes & Bands of the Yakama Nation

The Confederated Tribes of Grand Ronde

Washington State Department of Fish & Wildlife

Washington State Department of Ecology

Washington State Department of Archaeology and Historic Preservation

Clark County Community Development

Clark County Conservation District

Clark County Council

Clark County Sheriff's Office

Clark County Fire Marshall

City of Vancouver

Port of Vancouver

Fort Vancouver Regional Library

SW Washington Health District

Southwest Clean Air Agency

Fire District 3

Battle Ground School District

Properties within 500' of project (postcard only)

The Columbian

The Reflector

AT&T

Century Link

Clark Public Utilities – Water

Clark Public Utilities – Electric

Clark Regional Wastewater District

Comcast Cable Services

Northwest Natural



## Determination of NONSIGNIFICANCE

Notice Date: February 23, 2022

**NE 119th Street and NE 152nd Avenue Intersection Improvement****DETERMINATION OF NON-SIGNIFICANCE**

**Description of Proposal:** The proposal involves intersection improvements at Northeast 119th Street and Northeast 152nd Avenue in Clark County, Washington. The existing 4-way signalized intersection and illumination will be removed and a single-lane, 120-foot diameter roundabout with new pedestrian facilities, illumination, and stormwater management system will be constructed. The new roadway sections of the four approaches to the roundabout have two 12-foot-wide travel lanes; a concrete center median; 5.5-foot-wide bike lanes; and curb and gutter. No aboveground stormwater ponds are proposed with the design. The County will purchase credits from the Terrace Mitigation Bank to mitigate project impacts.

**Proponent:** Clark County Public Works

**Location of proposal, including street address, if any:**

Intersection of NE 119th Street and NE 152nd Avenue, approximately 1.75 miles east of State Route (SR) 503, in parts of Sections 25, 26, 35 and 36, T3N, R2E.

**Lead Agency:** Clark County Public Works

The lead agency for this proposal has determined that it does not have a probable significant adverse impact on the environment. An environmental impact statement (EIS) is not required under RCW 43.21C.030(2)(c). This decision was made after review of a completed environmental checklist and other information on file with the lead agency. This information is available to the public on request.

The lead agency has determined that the requirements for environmental analysis, protection, and mitigation measures have been adequately addressed in the development regulations and comprehensive plan adopted under chapter 36.70A RCW, and in other applicable local, state, or federal laws or rules, as provided by RCW 43.21C.240 and WAC 197-11-158. Our agency will not require any additional mitigation measures under SEPA.

This DNS is issued under WAC 197-11-340(2); the lead agency will not act on this proposal for 15 days from the date below.

Comments must be submitted by **March 11, 2022**.

**Responsible Official:**

**Position/title:**

**Address:**

Robert D. Klug, P.E.

County Engineer

Clark County Public Works

PO Box 9810

Vancouver, WA 98666-9810

**Date:** 02/08/22

**Signature:** 

The contact person for any questions is Audrey Riddell, 360-558-0524, [audrey.riddell@clark.wa.gov](mailto:audrey.riddell@clark.wa.gov).